

# Index

- Abdu, T.A.M., Elhadd, T.A., Akber, M., Hartland, A., Neary, R. & Clayton, R.N. Plasma homocysteine is not a major risk factor for vascular disease in growth hormone deficient adults: , 635
- Abdu, T.A.M., Neary, R., Elhadd, T.A., Akber, M. & Clayton, R.N. Coronary risk in growth hormone deficient hypopituitary adults: increased predicted risk is due largely to lipid profile abnormalities: , 209
- Abe, H. see Kaji, H.
- Ackermann, F. see Krohn, K.
- Adams, J.E. see Howell, S.J.
- Affricano, C. see Minniti, G.
- Agarwal, A.K. see White, P.C.
- Akai, A. see Yamakita, N.
- Akber, M. see Abdu, T.A.M.
- Albany, E. see Christ, E.R.
- Albertsson-Wikland, K. see Fors, H.
- Allolio, B. see Fassnacht, M.
- Anobile, C.J. see Talbot, J.A.
- Antiñolo, G. see Ruiz, A.
- Arlt, W. see Fassnacht, M.
- Arnqvist, H.J. see Hedman, C.A.
- Arosio, M. see Epaminonda, P.
- Arvat, E. see Broglio, F.
- Arvat, E. see Giordano, R.
- Asa, S.L. see Hayati, N.
- Asa, S.L. see Zahedi, A.
- Atkin, W. Risk of colorectal neoplasia in acromegaly: an independent view: , 723
- Azcona, C. see Quinton, R.
- Bailey, V. see Fisher Smikle, M.
- Baird, D.T. see Critchley, H.O.D.
- Baker Jr, J.R. see Bretz, J.D.
- Balen, A. see Michelmores, K.
- Bardet, S. see Franc, S.
- Barriocanal, L.A. see Butler, T.J.
- Barton, E. see Fisher Smikle, M.
- Barzaghi, R. see Losa, M.
- Baulieu, E.-E. see Piketty, C.
- Beck-Peccoz, P. see Epaminonda, P.
- Belfiore, A., Russo, D., Vigneri, R. & Filetti, S. Graves' disease, thyroid nodules and thyroid cancer: , 711
- Bell, J.I. see Hunt, P.J.
- Bengtsson, B.-Å. see Fors, H.
- Bennett, S. see Michelmores, K.
- Benowitz, B. see Odell, W.D.
- Benso, A. see Broglio, F.
- Benso, A. see Giordano, R.
- Besser, G.M. see Mukherjee, J.J.
- Besser, G.M. see Siddiqi, A.
- Besser, M. see Quinton, R.
- Bidlingmaier, M. see Muller, A.F.
- Bjarnason, R. see Fors, H.
- Blackhurst, G., McElroy, P.K., Fraser, R., Swan, R.L. & Connell, J.M.C. Seasonal variation in glucocorticoid receptor binding characteristics in human mononuclear leucocytes: , 683
- Bobbio, M. see Broglio, F.
- Booth, G.L. see Zahedi, A.
- Borrego, S. see Ruiz, A.
- Bosaeus, I. see Fors, H.
- Boulle, N. see Piketty, C.
- Bouloux, P.-M.G. see Quinton, R.
- Brändle, M., Pfammatter, T., Spinas, G.A., Lehmann, R. & Schmid, C. Assessment of selective arterial calcium stimulation and hepatic venous sampling to localize insulin-secreting tumours: , 357
- Brenner, R.M. see Critchley, H.O.D.
- Bretz, J.D. & Baker Jr, J.R. Apoptosis and autoimmune thyroid disease: following a TRAIL to thyroid destruction?: , 1
- Brismar, K. see Röjdmarm, S.
- Britton, K.E. see Mukherjee, J.J.
- Britton, K.E. see Siddiqi, A.
- Broglio, F. see Giordano, R.
- Broglio, F., Benso, A., Gottero, C., Di Vito, L., Granata, R., Arvat, E., Bobbio, M., Trevi, G. & Ghigo, E. Effect of digoxin on the somatotroph responsiveness to growth hormone-releasing hormone (GHRH) alone or combined with arginine in normal young volunteers: , 755
- Bruch, C. see Herrmann, B.L.
- Brune, M. see Zitzmann, M.
- Bülow, B. see Erfurth, E.M.
- Bülow, B. see Link, K.
- Bülow, I. see Knudsen, N.
- Bülow, J. see Henrik Wiborg Lange, K.
- Bunce, M. see Hunt, P.J.
- Bur, G. see Niepomniszcze, H.
- Burgess, J.R., Giles, N. & Shepherd, J.J. Malignant thymic carcinoid is not prevented by transcervical thymectomy in multiple endocrine neoplasia type 1: , 689
- Butler, T.J., Barriocanal, L.A. & Walker, M. Elevated plasma non-esterified fatty acid levels and insulin

- secretion in non-diabetic relatives of type 2 diabetic patients: , 349
- Calissendorff, J. see Röjdmarm, S.
- Cantore, G. see Minniti, G.
- Capeller, B. see Fassnacht, M.
- Cappiello, V. see Epaminonda, P.
- Carlstedt-Duke, J. see Ruiz, M.
- del Carmen Zalazar, M. see Niepomniszcze, H.
- Carroll, P.V. see Christ, E.R.
- Cassone, R. see Minniti, G.
- Castellanos, A. see Niepomniszcze, H.
- Castiel, P. see Piketty, C.
- Caulfield, M. see White, P.C.
- Chan, J.C.N. see Thomas, G.N.
- Chen, M. & Chow, S.-N. Additive effect of alfacalcidol on bone mineral density of the lumbar spine in Taiwanese postmenopausal women treated with hormone replacement therapy and calcium supplementation: a randomized 2-year study: , 253
- Chew, S.L. see Mukherjee, J.J.
- Chihara, K. see Kaji, H.
- Chihara, K. see Yamauchi, M.
- Chin Khoo, D.H. see Yeo, C.P.
- Chow, S.-N. see Chen, M.
- Christ, E.R., Carroll, P.V., Albany, E., Umpleby, A.M., Lumb, P.J., Wierzbicki, A.S., Simpson, H.L., Sönksen, P.H. & Russell-Jones, D.L. Normal VLDL metabolism despite altered lipoprotein composition in type 1 diabetes mellitus: , 777
- Christian, N. see Fisher Smikle, M.
- Clanget, C., Seck, T., Hinke, V., Wüster, C., Ziegler, R. & Pfeilschifter, J. Effects of 6 years of growth hormone (GH) treatment on bone mineral density in GH-deficient adults: , 93
- Clark, A. see White, P.C.
- Clayton, R.N. see Abdu, T.A.M.
- Clayton, R.N. see Zahedi, A.
- Cleare, A.J., O'Keane, V. & Miell, J. Plasma leptin in chronic fatigue syndrome and a placebo-controlled study of the effects of low-dose hydrocortisone on leptin secretion: , 113
- Cockram, C.S. see Thomas, G.N.
- Cohen, R. see Franc, S.
- Çolak, R. see Kirnap, M.
- Colao, A. Are patients with acromegaly at high risk for dysrhythmias?: , 305
- Colzani, R.M., Emdin, M., Conforti, F., Passino, C., Scarlattini, M. & Iervasi, G. Hyperthyroidism is associated with lengthening of ventricular repolarization: , 27
- Conforti, F. see Colzani, R.M.
- Connell, J.M.C. see Blackhurst, G.
- Connell, J.M.C. see McCallum, R.W.
- Conway, A.J. see Kelleher, S.
- Conway, G.S. see Elsheikh, M.
- Conway, G.S. see Quinton, R.
- Corcuff, J.-B. see Duclos, M.
- Corvilain, B., Van Sande, J., Dumont, J.E. & Vassart, G. Somatic and germline mutations of the TSH receptor and thyroid diseases: , 143
- Cranston, I.C. see Holt, R.I.G.
- Craven, R. see Teede, H.J.
- Critchley, H.O.D., Kelly, R.W., Brenner, R.M. & Baird, D.T. The endocrinology of menstruation – a role for the immune system: , 701
- Critchley, J.A.J.H. see Thomas, G.N.
- Crosbie, G.V. see Nye, E.J.
- Crowley Jr., W.F. see Seminara, S.
- Dagres, N. see Herrmann, B.L.
- Dale, J., Daykin, J., Holder, R., Sheppard, M.C. & Franklyn, J.A. Weight gain following treatment of hyperthyroidism: , 233
- Dallinga-Thie, G.M. see Twickler, T.H.B.
- Daniels, G.H. see Miller, K.K.
- Davis, J.R.E. & McNeilly, A.S. Is pituitary gene therapy realistic?: , 427
- Dayan, C.M. Stressful life events and Graves' disease revisited: , 13
- Daykin, J. see Dale, J.
- De Leeuw, W. see Smit, J.W.A.
- Debuire, B. see Piketty, C.
- de Dios Luna, J. see Muñoz-Torres, M.
- Di Vito, L. see Broglio, F.
- Di Vito, L. see Giordano, R.
- Dickinson, A.J. & Perros, P. Controversies in the clinical evaluation of active thyroid-associated orbitopathy: use of a detailed protocol with comparative photographs for objective assessment: , 283
- Dowe, G. see Fisher Smikle, M.
- Drop, S.L.S. see Mul, D.
- Duclos, M., Gatta, B., Corcuff, J.-B., Rashedi, M., Pehourcq, F. & Roger, P. Fat distribution in obese women is associated with subtle alterations of the hypothalamic-pituitary-adrenal axis activity and sensitivity to glucocorticoids: , 447
- Duke, V.M. see Quinton, R.
- Dumont, J.E. see Corvilain, B.
- Dunger, D. see Michelmore, K.
- Dunger, D.B. see Husbands, S.
- Dylgjeri, S. see Losa, M.
- Ecosse, E. see Piketty, C.

- Elhadd, T.A. see Abdu, T.A.M.
- Elsheikh, M., Hodgson, H.J.F., Wass, J.A.H. & Conway, G.S. Hormone replacement therapy may improve hepatic function in women with Turner's syndrome: , 227
- Elsheikh, M., Wass, J.A.H. & Conway, G.S. Autoimmune thyroid syndrome in women with Turner's syndrome - the association with karyotype: , 223
- Elsner, B. see Niepomniszcze, H.
- Elting, M.W., Karsen, T.J.M. & Schoemaker, J. Obesity, rather than menstrual cycle pattern or follicle cohort size, determines hyperinsulinaemia, dyslipidaemia and hypertension in ageing women with polycystic ovary syndrome: , 767
- Eltom, A., Eltom, M., Idris, M. & Gebre-Medhin, M. Thyroid function in the newborn in relation to maternal thyroid status during labour in a mild iodine deficiency endemic area in Sudan: , 485
- Eltom, M. see Eltom, A.
- Emdin, M. see Colzani, R.M.
- Eng, C. see Ruiz, A.
- Epaminonda, P., Porretti, S., Cappiello, V., Beck-Peccoz, P., Faglia, G. & Arosio, M. Efficacy of radiotherapy in normalizing serum IGF-I, acid-labile subunit (ALS) and IGFBP-3 levels in acromegaly: , 183
- Erbel, R. see Herrmann, B.L.
- Erfurth, E.M. see Link, K.
- Erfurth, E.M., Bülow, B., Mikoczy, Z., Svahn-Tapper, G. & Hagmar, L. Is there an increase in second brain tumours after surgery and irradiation for a pituitary tumour?: , 613
- Erkelens, D.W. see Twickler, T.H.B.
- Escobar-Jimenez, F. see Muñoz-Torres, M.
- Eser, C. see Kirnap, M.
- Eskilsson, J. see Link, K.
- Esposito, V. see Minniti, G.
- Ezzat, S. see Hayati Othman, N.
- Ezzat, S. see Zahedi, A.
- Faglia, G. see Epaminonda, P.
- Fairclough, P.D. see Jenkins, P.J.
- Farrell, W.E. see Zahedi, A.
- Fassnacht, M., Capeller, B., Arlt, W., Steck, T. & Allolio, B. Octreotide LAR<sup>®</sup> treatment throughout pregnancy in an acromegalic woman: , 411
- Faure, E. see Niepomniszcze, H.
- Feldkamp, J. see Schott, M.
- Feldt-Rasmussen, U. see Lando, A.
- Ferdin, S. see Herrmann, B.L.
- Fernández, R.M. see Ruiz, A.
- Filetti, S. see Belfiore, A.
- Fisher Smikle, M., Pascoe, R.W., Barton, E., Morgan, O., Christian, N., Dowe, G., Roye-Green, K., Bailey, V., & James, O. HLRA-DRB3\*0101 is associated with Graves' disease in Jamaicans: , 805
- Foley, R. see Mukherjee, J.J.
- Foley, R.R. see Siddiqi, A.
- Fors, H., Bjarnason, R., Wirén, L., Albertsson-Wikland, K., Bosaeus, I., Bengtsson, B.-Å. & Johannsson, G. Currently used growth-promoting treatment of children results in normal bone mass and density. A prospective trial of discontinuing growth hormone treatment in adolescents: , 617
- Franc, S., Niccoli-Sire, P., Cohen, R., Bardet, S., Maes, B., Murat, A., Krivitzky, A., Modigliani, E. & The French Medullary Study Group (GETC), E. Complete surgical lymph node resection does not prevent authentic recurrences of medullary thyroid carcinoma: , 403
- Franklyn, J.A. see Dale, J.
- Franzin, A. see Losa, M.
- Fraser, R. see Blackhurst, G.
- Gäfväls, M. see Ruiz, M.
- Galvão-Teles, A. see Matos-Santos, A.
- Garcia E. Costa, J. see Matos-Santos, A.
- Garcia, A. see Niepomniszcze, H.
- García-Mayor, R.V. see Regal, M.
- Gatta, B. see Duclos, M.
- Gebre-Medhin, M. see Eltom, A.
- Ghigo, E. see Broglio, F.
- Ghigo, E. see Giordano, R.
- Gianotti, L. see Giordano, R.
- Gilbert, J. see Husbands, S.
- Giles, N. see Burgess, J.R.
- Giordano, R., Di Vito, L., Lanfranco, F., Broglio, F., Benso, A., Gianotti, L., Grotoli, S., Ghigo, E. & Arvat, E. Elderly subjects show severe impairment of dehydroepiandrosterone sulphate and reduced sensitivity of cortisol and aldosterone response to the stimulatory effect of ACTH 1-24: , 259
- Giovanelli, M. see Losa, M.
- Goemaere, S. see Van Pottelbergh, I.
- Gonzalez-Canali, G. see Piketty, C.
- Gottero, C. see Broglio, F.
- Granada, M.L. see Lucas, A.
- Granata, R. see Broglio, F.
- Grice, J.E. see Nye, E.J.
- Gromoll, J. see Zitzmann, M.
- Grossman, A.B. see Kaltsas, G.
- Grossman, A.B. see Mukherjee, J.J.
- Grossman, A.B. see Siddiqi, A.
- Grotoli, S. see Giordano, R.

- Hagmar, L. see Erfurth, E.M.
- Handelsman, D.J. see Kelleher, S.
- Hartland, A. see Abdu, T.A.M.
- Hayashi, M. see Yamakita, N.
- Hayati Othman, N., Ezzat, S., Kovacs, K., Horvath, E., Poulin, E., Smyth, H.S. & Asa, S.L. Growth hormone-releasing hormone (GHRH) and GHRH receptor (GHRH-R) isoform expression in ectopic acromegaly: , 135
- Hedman, C.A., Orre-Pettersson, A.-C., Lindström, T. & Arnqvist, H.J. Treatment with insulin lispro changes the insulin profile but does not affect the plasma concentrations of IGF-I and IGFBP-1 in type 1 diabetes: , 107
- Henrik Wiborg Lange, K., Isaksson, F., Højby Rasmussen, M., Juul, A., Bülow, J. & Kjær, M. GH administration and discontinuation in healthy elderly men: effects on body composition, GH-related serum markers, resting heart rate and resting oxygen uptake: , 77
- Herrmann, B.L., Bruch, C., Saller, B., Ferdin, S., Dagres, N., Ose, C., Erbel, R. & Mann, K. Occurrence of ventricular late potentials in patients with active acromegaly: , 201
- Hew, J.M. see Smit, J.W.A.
- Higashiyama, M. see Saito, T.
- Hikmat, J. see Mukherjee, J.J.
- Hinke, V. see Clanget, C.
- Hobbs, M.R. see Odell, W.D.
- Hockings, G.I. see Nye, E.J.
- Hodgson, H.J.F. see Elsheikh, M.
- Hofland, L. see Muller, A.F.
- Højby Rasmussen, M. see Henrik Wiborg Lange, K.
- Holder, R. see Dale, J.
- Holm, K. see Lando, A.
- Holt, R.I.G., Miklaszewicz, P., Cranston, I.C., Russell-Jones, D., Rees, P.J. & Sönksen, P.H. Computer assisted learning is an effective way of teaching endocrinology: , 537
- Holtmann, M. see Ruiz, M.
- Horvath, E. see Hayati Othman, N.
- Howell, S.J., Radford, J.A., Adams, J.E., Smets, E.M.A., Warburton, R. & Shalet, S.M. Randomized placebo-controlled trial of testosterone replacement in men with mild Leydig cell insufficiency following cytotoxic chemotherapy: , 315
- Hunt, P.J., Marshall, S.E., Weetman, A.P., Bunce, M., Bell, J.I., Wass, J.A.H. & Welsh, K.I. Histocompatibility leucocyte antigens and closely linked immunomodulatory genes in autoimmune thyroid disease: , 491
- Husbands, S., Ong, K.K.L., Gilbert, J., Wass, J.A.H. & Dunger, D.B. Increased insulin sensitivity in young, growth hormone deficient children: , 87
- Ibáñez, L., Valls, C., Potau, N., Marcos, M.V. & de Zegher, F. Polycystic ovary syndrome after precocious pubarche: ontogeny of the low-birthweight effect: , 667
- Idris, M. see Eltom, A.
- Iervasi, G. see Colzani, R.M.
- Ikegami, S., Moriwake, T., Tanaka, H., Inoue, M., Kubo, T., Suzuki, S., Kanzaki, S. & Seino, Y. An ultrasensitive assay revealed age-related changes in serum oestradiol at low concentrations in both sexes from infancy to puberty: , 789
- Ikezaki, A. see Kikuoka, N.
- Inoue, M. see Ikegami, S.
- Ip, M.S.M., Tan, K.C.B., Peh, W.C.G. & Lam, K.S.L. Effect of Sandostatin® LAR® on sleep apnoea in acromegaly: correlation with computerized tomographic cephalometry and hormonal activity: , 477
- Isaksson, F. see Henrik Wiborg Lange, K.
- Ise, T., Shimoda, A., Takakuwa, H., Kato, T., Izumiya, Y., Shimizu, K., Suzuki, T., Sasano, H., Yokoyama, H. & Kobayashi, K. A chimeric CYP11B1/CYP11B2 gene in glucocorticoid-insuppressible familial hyperaldosteronism: , 131
- Ishikawa, S.-E. see Saito, T.
- Islam, N. see Mukherjee, J.J.
- Izumiya, Y. see Ise, T.
- Jackson, R.V. see Nye, E.J.
- Jacob, E. see Yeo, C.P.
- Jacobs, H.S. see Quinton, R.
- Jácome De Castro, J. see Matos-Santos, A.
- Jaffrain-Rea, M.-L. see Minniti, G.
- James, O. see Fisher Smikle, M.
- Janssen, J.A.M.J.L. see Muller, A.F.
- Jayle, D. see Picketty, C.
- Jenkins, P.J. & Fairclough, P.D. Colorectal neoplasia in acromegaly: , 727
- Jenkins, P.J. see Mukherjee, J.J.
- Johannsson, G. see Fors, H.
- Jones, J. see Renahan, A.G.
- Jørgensen, T. see Knudsen, N.
- Junker, R. see Zitzmann, M.
- Juul, J. see Henrik Wiborg Lange, K.
- Kahara, T., Nagai, Y., Yamashita, H., Nohara, E., Kobayashi, K. & Takamura, T. Extramedullary plasmacytoma in the adrenal incidentaloma: , 267
- Kaji, H. see Kaji, H.
- Kaji, H., Sugimoto, T., Nakaoka, D., Okimura, Y., Kaji, H., Abe, H. & Chihara, K. Bone metabolism and body composition in Japanese patients with active acromegaly: , 175

- Kaltsas, G., Mukherjee, J.J., Plowman, P.N. & Grossman, A.B. The role of chemotherapy in the nonsurgical management of malignant neuroendocrine tumours: , 575
- Kaltsas, G.A. see Mukherjee, J.J.
- Kanzaki, S. see Ikegami, S.
- Kanzawa, M. see Yamauchi, M.
- Kato, T. see Ise, T.
- Kato, Y. see Sohmiya, M.
- Kaufman, J.M. see Van Pottelbergh, I.
- Kazatchkine, M.D. see Piketty, C.
- Kelestimur, F. see Kirnap, M.
- Kelleher, S., Conway, A.J. & Handelsman, D.J. Influence of implantation site and track geometry on the extrusion rate and pharmacology of testosterone implants: , 531
- Kelly, R.W. see Critchley, H.O.D.
- Kendall-Taylor, P. & Stewart, P.M. Clinical Endocrinology goes electronic: , 141
- Kikuoka, N., Sugihara, S., Yanagawa, T., Ikezaki, A., Kim, H.S., Matsuoka, H., Kobayashi, Y., Wataki, K., Konda, S., Sato, H., Miyamoto, S., Sasaki, N., Sakamaki, T., Niimi, H. & Murata, M. Cytotoxic T lymphocyte antigen 4 gene polymorphism confers susceptibility to Type 1 diabetes in Japanese children: analysis of association with HLA genotypes and autoantibodies: , 597
- Kim, H.S. see Kikuoka, N.
- Kirk, J.M.W. see Quinton, R.
- Kirnap, M., Çolak, R., Eser, C., Özsoy, O., Tutus, A. & Kelestimur, F. A comparison between low-dose (1 µg), standard-dose (250 µg) ACTH stimulation tests and insulin tolerance test in the evaluation of hypothalamo-pituitary-adrenal axis in primary fibromyalgia syndrome: , 455
- Kjær, M. see Henrik Wiborg, K.
- Knudsen, N. see Pedersen, I.B.
- Knudsen, N., Bülow, I., Laurberg, P., Perrild, H., Ovesen, L. & Jørgensen, T. Alcohol consumption is associated with reduced prevalence of goitre and solitary thyroid nodules: , 41
- Ko Eng, P.H. see Yeo, C.P.
- Kobayashi, A. see Yamauchi, M.
- Kobayashi, K. see Ise, T.
- Kobayashi, K. see Kahara, T.
- Kobayashi, Y. see Kikuoka, N.
- Kokubo, Y. see Yamakita, N.
- Konda, S. see Kikuoka, N.
- Koppeschaar, H.P.F. see Twickler, T.H.B.
- Kornmann, B. see Zitzmann, M.
- Korsen, T.J.M. see Elting, M.W.
- Kotsopoulos, D. see Teede, H.J.
- Kovacs, K. see Hayati Othman, N.
- Krivitzky, A. see Franc, S.
- Krohn, K., Reske, A., Ackermann, F., Müller, A. & Paschke, R. Ras mutations are rare in solitary cold and toxic thyroid nodules: , 241
- Krone, N., Wachter, I., Stefanidou, M., Roscher, A.A. & Schwarz, H.P. Mothers with congenital adrenal hyperplasia and their children: outcome of pregnancy, birth and childhood: , 523
- Kubo, T. see Ikegami, S.
- Kusaka, I. see Saito, T.
- Lacerda Nobre, E. see Matos-Santos, A.
- Lam, K.S.L. see Ip, M.S.M.
- Lambert, A. see Talbot, J.A.
- Lamberts, S.W.J. see Muller, A.F.
- Lando, A., Holm, K., Nysom, K., Rasmussen, Å.K., Feldt-Rasmussen, U., Petersen, J.H. & Müller, J. Thyroid function in survivors of childhood acute lymphoblastic leukaemia: the significance of prophylactic cranial irradiation: , 21
- Lanfranco, F. see Giordano, R.
- Lange, F. see Henrik Wiborg, K.
- Laurberg, P. see Knudsen, N.
- Laurberg, P. see Pedersen, I.B.
- Le Bouc, Y. see Piketty, C.
- Lehmann, R. see Brändle, M.
- Leidig-Bruckner, G. see Seck, T.
- van der Lely, A.J. see Muller, A.F.
- Leplege, A. see Piketty, C.
- Lettmann, M. see Schott, M.
- Li, A. see White, P.C.
- Liang, Y.-L. see Teede, H.J.
- Lind, U. see Ruiz, M.
- Lindström, T. see Hedman, C.A.
- Link, K., Bülow, B., Westman, K., Salmonsson, E.C., Eskilsson, J. & Erfurth, E.M. Low individualized growth hormone (GH) dose increased renal and cardiac growth in young adults with childhood onset GH deficiency: , 741
- Links, T.P. see Smit, J.W.A.
- Lopez-Rodriguez, F. see Muñoz-Torres, M.
- Losa, M., Mortini, P., Dylgieri, S., Barzaghi, R., Franzin, A., Mandelli, C. & Giovanelli, M. Desmopressin stimulation test before and after pituitary surgery in patients with Cushing's disease: , 61
- Lucas, A., Pizarro, E., Granada, M.L., Salinas, I. & Sanmartí, A. Postpartum thyroid dysfunction and postpartum depression: are they two linked disorders?: , 809
- Lumb, P.J. see Christ, E.R.

- Lumbroso, S. see Van Pottelbergh, I.
- McCallum, R.W. & Connell, J.M.C. Laparoscopic adrenalectomy: , 435
- McCann, S.M. Release of leptin and its effect on hormone release from human pituitary adenomas: , 161
- MacColl, G.S. see Quinton, R.
- McElroy, P.K. see Blackhurst, G.
- McGrath, R. see Teede, H.
- McGrath, S. & Smith, R. Corticotrophin-releasing hormone and parturition: , 593
- McLachlan, R.I. see Robertson, D.M.
- McLoughlin, J.D. see Talbot, J.A.
- McNeilly, A.S. see Davis, J.R.E.
- McTernan, C. see White, P.C.
- Macedo, A. see Matos-Santos, A.
- Maes, B. see Franc, S.
- Mandelli, C. see Losa, M.
- Mann, K. see Herrmann, B.L.
- Marcos, I. see Ruiz, A.
- Marcos, M.V. see Ibáñez, L.
- Marsden, P.J., Murdoch, A.P. & Taylor, R. Tissue insulin sensitivity and body weight in polycystic ovary syndrome: , 191
- Marshall, S.E. see Hunt, P.J.
- Mason, S. see Michelmore, K.
- Matfin, G. see Quinton, R.
- Matos-Santos, A., Lacerda Nobre, E., Garcia, J., Costa, E., Nogueira, P.J., Macedo, A., Galvão-Teles, A. & Jácome De Castro, J. Relationship between the number and impact of stressful life events and the onset of Graves' disease and toxic nodular goitre: , 15
- Matsuoka, H. see Kikuoka, N.
- Merx, R. see Smit, J.W.A.
- Mezquita-Raya, P. see Muñoz-Torres, M.
- Michelmore, K., Ong, K., Mason, S., Bennett, S., Perry, L., Vessey, M., Balen, A. & Dunger, D. Clinical features in women with polycystic ovaries: relationships to insulin sensitivity, insulin gene VNTR and birthweight: , 439
- Miell, J. see Cleare, A.J.
- Miklaszewicz, P. see Holt, R.I.G.
- Mikoczy, Z. see Erfurth, E.M.
- Miller, K.K. & Daniels, G.H. Association between lithium use and thyrotoxicosis caused by silent thyroiditis: , 501
- Minniti, G., Moroni, C., Jaffrain-Rea, M.-L., Esposito, V., Santoro, A., Affricano, C., Cantore, G., Tamburrano, G. & Cassone, R. Marked improvement in cardiovascular function after successful transsphenoidal surgery in acromegalic patients: , 307
- Miyamoto, S. see Kikuoka, N.
- Modigliani, E. see Franc, S.
- Monson, J.P. see Mukherjee, J.J.
- Monson, J.P. see Siddiqi, A.
- Morgan, O. see Fisher Smikle, M.
- Moriwake, T. see Ikegami, S.
- Moroni, C. see Minniti, G.
- Morreau, H. see Smit, J.W.A.
- Mortini, P. see Losa, M.
- Morton, S. see Robertson, D.M.
- Mukherjee, J.J. see Kaltsas, G.
- Mukherjee, J.J., Kaltsas, G.A., Islam, N., Plowman, P.N., Foley, R., Hikmat, J., Britton, K.E., Jenkins, P.J., Chew, S.L., Monson, J.P., Besser, G.M. & Grossman, A.B. Treatment of metastatic carcinoid tumours, pheochromocytoma, paraganglioma and medullary carcinoma of the thyroid with <sup>131</sup>I-meta-iodobenzylguanidine (<sup>131</sup>I-mIBG): , 47
- Mul, D., Oostdijk, W., Waelkens, J.J.J., Schulp, T.W.J. & Drop, S.L.S. Gonadotrophin releasing hormone agonist treatment with or without recombinant human GH in adopted children with early puberty: , 121
- Müller, A. see Krohn, K.
- Muller, A.F., Janssen, J.A.M.J.L., Lamberts, S.W.J., Bidlingmaier, M., Strasburger, C.J., Hofland, L. & van der Lely, A.J. Effects of fasting and pegvisomant on the GH-releasing-hormone and GH-peptide-6 stimulated GH secretion: , 461
- Müller, J. see Lando, A.
- Muñoz-Torres, M., Mezquita-Raya, P., Lopez-Rodriguez, F., Torres-Vela, E., de Dios Luna, J. & Escobar-Jimenez, F. The contribution of IGF-I to skeletal integrity in postmenopausal women: , 759
- Murai, T. see Yamakita, N.
- Murat, A. see Franc, S.
- Murata, M. see Kikuoka, N.
- Murdoch, A.P. see Marsden, P.J.
- Nagai, Y. see Kahara, T.
- Nagasaka, S. see Saito, T.
- Nakamura, T. see Saito, T.
- Nakaoka, D. see Kaji, H.
- Nakaoka, D. see Yamauchi, M.
- Neary, R. see Abdu, T.A.M.
- Niccoli-Sire, P. see Franc, S.
- Niepomniszcze, H., Garcia, A., Faure, E., Castellanos, A., del Carmen Zalazar, M., Bur, G. & Elsner, B. Long-term follow-up of contralateral lobe in patients hemithyroidectomized for solitary follicular adenoma: , 509
- Nieschlag, E. see Zitzmann, M.
- Niimi, H. see Kikuoka, N.



- Nikkila, H. see White, P.C.
- Nilsson, L. see Ruiz, M.
- Nogueira, P.J. see Matos-Santos, A.
- Nohara, E. see Kahara, T.
- Nye, E.J., Grice, J.E., Hockings, G.I., Strakosch, C.R.,  
Crosbie, G.V., Walters, M.M., Torpy, D.J. & Jackson,  
R.V. Adrenocorticotropin stimulation tests in patients  
with hypothalamic-pituitary disease: low dose, standard  
high dose and 8-h infusion tests: , 625
- Nysom, K. see Lando, A.
- O'Dwyer, S.T. see Renehan, A.G.
- O'Keane, V. see Cleare, A.J.
- O'Rahilly, S. see Vidal-Puig, A.
- Odell, W.D., Hobbs, M.R. & Benowitz, B. An  
immunologically anomalous parathyroid hormone  
variant causing hyperparathyroidism: , 417
- Okimura, Y. see Kaji, H.
- Ong, K. see Michelmore, K.
- Ong, K.K.L. see Husbands, S.
- Oostdijk, W. see Mul, D.
- Orre-Pettersson, A.-C. see Hedman, C.A.
- Ose, C. see Herrmann, B.L.
- Othman, S. see Hayati, N.
- Ovesen, L. see Knudsen, N.
- Ovesen, L. see Pedersen, I.B.
- Özsoy, O. see Kirnap, M.
- Ozuru, R. see Yamauchi, M.
- Páramo, C. see Regal, M.
- Paschke, R. see Krohn, K.
- Pascoe, R.W. see Fisher Smikle, M.
- Passino, C. see Colzani, R.M.
- Pedersen, I.B., Knudsen, N., Perrild, H., Ovesen, L. &  
Laurberg, P. TSH-receptor antibody measurement for  
differentiation of hyperthyroidism into Graves' disease  
and multinodular toxic goitre: a comparison of two  
competitive binding assays: , 381
- Peh, W.C.G. see Ip, M.S.M.
- Pehourcq, F. see Duclos, M.
- Perrild, H. see Knudsen, N.
- Perrild, H. see Pedersen, I.B.
- Perros, P. see Dickinson, A.J.
- Perry, L. see Michelmore, K.
- Petersen, J.H. see Lando, A.
- Pettersson, K. see Robertson, D.M.
- Pfammatter, T. see Brändle, M.
- Pfeilschifter, J. see Clanget, C.
- Pfeilschifter, J. see Seck, T.
- Piketty, C., Jayle, D., Lepage, A., Castiel, P., Ecosse, E.,  
Gonzalez-Canali, G., Sabatier, B., Boule, N., Debuire,  
B., Le Bouc, Y., Baulieu, E.-E. & Kazatchkine, M.D.  
Double-blind placebo-controlled trial of oral  
dehydroepiandrosterone in patients with advanced HIV  
disease: , 325
- Pizarro, E. see Lucas, A.
- Plowman, P.N. see Kaltsas, G.
- Plowman, P.N. see Mukherjee, J.J.
- Plowman, P.N. see Siddiqi, A.
- Porretti, S. see Epaminonda, P.
- Potau, N. see Ibáñez, L.
- Potten, C.S. see Renehan, A.G.
- Poulin, E. see Hayati Othman, N.
- Pratt, J.H. see White, P.C.
- Price, A. see Talbot, J.A.
- Pruysers, E. see Robertson, D.M.
- Quinton, R., Duke, V.M., Robertson, A., Kirk, J.M.W.,  
Matfin, G., de Zoysa, P.A., Azcona, C., Maccoll, G.S.,  
Jacobs, H.S., Conway, G.S., Besser, M., Stanhope, R.G.  
& Bouloux, P.-M.G. Idiopathic gonadotrophin  
deficiency: genetic questions addressed through  
phenotypic characterization: , 163
- Radford, J.A. see Howell, S.J.
- Rashedi, M. see Duclos, M.
- Rasmussen, Å.K. see Lando, A.
- Rees, P.J. see Holt, R.I.G.
- Regal, M., Páramo, C., Sierra, J.M. & García-Mayor, R.V.  
Prevalence and incidence of hypopituitarism in an adult  
Caucasian population in northwestern Spain: , 735
- Renehan, A.G., O'Dwyer, S.T. & Shalet, S.M. Screening  
colonoscopy for acromegaly in perspective: , 731
- Renehan, A.G., Toogood, A.A., Ryder, W.D., Jones, J.,  
Potten, C.S., O'Dwyer, S.T. & Shalet, S.M. Paradoxical  
elevations in serum IGF-II and IGF binding protein-2 in  
acromegaly: insights into the regulation of these  
peptides: , 469
- Reske, A. see Krohn, K.
- Robertson, A. see Quinton, R.
- Robertson, D.M., Pruyers, E., Stephenson, T., Pettersson,  
K., Morton, S. & McLachlan, R.I. Sensitive LH and  
FSH assays for monitoring low serum levels in men  
undergoing steroidal contraception: , 331
- Robertson, W.R. see Talbot, J.A.
- Roger, P. see Duclos, M.
- Röjdmarm, S., Calissendorff, J. & Brismar, K. Alcohol  
ingestion decreases both diurnal and nocturnal secretion  
of leptin in healthy individuals: , 639
- Romijn, J.A. see Smit, J.W.A.
- Roscher, A.A. see Krone, N.
- Roye-Green, K. see Fisher Smikle, M.

- Ruiz, A., Antiñolo, G., Fernández, R.M., Eng, C., Marcos, I. & Borrego, S. Germline sequence variant S836S in the RET proto-oncogene is associated with low level predisposition to sporadic medullary thyroid carcinoma in the Spanish population: , 399
- Ruiz, M., Lind, U., Gåfvels, M., Carlstedt-Duke, J., Nilsson, L., Holtmann, M., Stiern, P., Wikström, A.-C. & Werner, S. Characterization of two novel mutations in the glucocorticoid receptor gene in patients with primary cortisol resistance: , 363
- Russell-Jones, D. see Holt, R.I.G.
- Russell-Jones, D.L. see Christ, E.R.
- Russo, D. see Belfiore, A.
- Ryder, W.D. see Renehan, A.G.
- Sabatier, B. see Piketty, C.
- Saito, T. see Saito, T.
- Saito, T., Higashiyama, M., Nakamura, T., Kusaka, I., Nagasaka, S., Saito, T. & Ishikawa, S.-E. Urinary excretion of the aquaporin-2 water channel exaggerated in pathological states of impaired water excretion: , 217
- Sakamaki, T. see Kikuoka, N.
- Salinas, I. see Lucas, A.
- Saller, B. see Herrmann, B.L.
- Salmonsson, E.C. see Link, K.
- Sanmartí, A. see Lucas, A.
- Santoro, A. see Minniti, G.
- Sasaki, N. see Kikuoka, N.
- Sasano, H. see Ise, T.
- Sato, H. see Kikuoka, N.
- Scarlattini, M. see Colzani, R.M.
- Scheidt-Nave, C. see Seck, T.
- Scherbaum, W.A. see Schott, M.
- Schmid, C. see Brändle, M.
- Schoemaker, J. see Elting, M.W.
- Schott, M., Feldkamp, J., Lettmann, M., Simon, D., Scherbaum, W.A. & Seissler, J. Dendritic cell immunotherapy in a neuroendocrine pancreas carcinoma: , 271
- Schulpen, T.W.J. see Mul, D.
- Schwarz, H.P. see Krone, N.
- Seck, T. see Claret, C.
- Seck, T., Scheidt-Nave, C., Leidig-Bruckner, G., Ziegler, R. & Pfeilschifter, J. Low serum concentrations of insulin-like growth factor I are associated with femoral bone loss in a population-based sample of postmenopausal women: , 101
- Seino, Y. see Ikegami, S.
- Seissler, J. see Schott, M.
- Seminara, S. & Crowley Jr., W.F. The genetics of IHH-a paradox: , 159
- Shalet, S.M. see Howell, S.J.
- Shalet, S.M. see Renehan, A.G.
- Shepherd, J.J. see Burgess, J.R.
- Sheppard, M.C. see Dale, J.
- Shimizu, K. see Ise, T.
- Shimoda, A. see Ise, T.
- Sibtain, A. see Siddiqi, A.
- Siddiqi, A., Foley, R.R., Britton, K.E., Sibtain, A., Plowman, P.N., Grossman, A.B., Monson, J.P. & Besser, G.M. The role of 123I-diagnostic imaging in the follow-up of patients with differentiated thyroid carcinoma as compared to 131I-scanning: avoidance of negative therapeutic uptake due to stunning: , 515
- Sierra, J.M. see Regal, M.
- Simon, D. see Schott, M.
- Simpson, H.L. see Christ, E.R.
- Smets, E.M.A. see Howell, S.J.
- Smit, J.W.A., van Tol, K.M., Hew, J.M., Vielvoe, G.J., Romijn, J.A. & Links, T.P. Marimastat therapy as adjuvant to selective embolization in skeletal metastases of differentiated thyroid carcinoma: , 421
- Smit, J.W.A., Van Zelderen-Bhola, S., Merx, R., De Leeuw, W., Wessels, H., Vink, R. & Morreau, H. A novel chromosomal translocation t(3;5)(q12;p15.3) and loss of heterozygosity on chromosome 22 in a multifocal follicular variant of papillary thyroid carcinoma presenting with skin metastases: , 543
- Smith, R. see McGrath, S.
- Smyth, H.S. see Zahedi, A.
- Smyth, H.S. see Hayati Othman, N.
- Sohmiya, M. & Kato, Y. Effect of long-term administration of recombinant human growth hormone (rhGH) on plasma erythropoietin (EPO) and haemoglobin levels in anaemic patients with adult GH deficiency: , 749
- Sönksen, P.H. see Christ, E.R.
- Sönksen, P.H. see Holt, R.I.G.
- Spinass, G.A. see Brändle, M.
- Stanhope, R.G. see Quinton, R.
- Steck, T. see Fassnacht, M.
- Stefanidou, M. see Krone, N.
- Stephenson, T. see Robertson, D.M.
- Stewart, P.M. see Kendall-Taylor, P.
- Stewart, P.M. see White, P.C.
- Stiern, P. see Ruiz, M.
- Strakosch, C.R. see Nye, E.J.
- Strasburger, C.J. see Muller, A.F.
- Sugihara, S. see Kikuoka, N.
- Sugimoto, T. see Kaji, H.
- Sugimoto, T. see Yamauchi, M.
- Sugishita, T. see Yamauchi, M.
- Sultan, C. see Van Pottelbergh, I.



- Suzuki, S. see Ikegami, S.
- Suzuki, T. see Ise, T.
- Swahn-Tapper, G. see Erfurth, E.M.
- Swan, R.L. see Blackhurst, G.
- Takakuwa, H. see Ise, T.
- Takamura, T. see Kahara, T.
- Talbot, J.A., Lambert, A., Anobile, C.J., McLoughlin, J.D., Price, A., Weetman, A.P. & Robertson, W.R. The nature of human chorionic gonadotrophin glycoforms in gestational thyrotoxicosis: , 33
- Tamburrano, G. see Minniti, G.
- Tan, H.K. see Yeo, C.P.
- Tan, K.C.B. see Ip, M.S.M.
- Tanaka, H. see Ikegami, S.
- Taylor, R. see Marsden, P.J.
- Teede, H.J., Liang, Y.-L., Kotsopoulos, D., Zoungas, S., Craven, R. & McGrath, B.P. A placebo-controlled trial of long-term oral combined continuous hormone replacement therapy in postmenopausal women: effects on arterial compliance and endothelial function: , 673
- The French Medullary Study Group (GETC), see Franc, S.
- Thivolet, C. New therapeutic approaches in type 1 diabetes: from prevention to cellular or gene therapies: , 565
- Thomas, G.N., Critchley, J.A.J.H., Tomlinson, B., Cockram, C.S. & Chan, J.C.N. Relationships between the Taql polymorphism of the dopamine D2 receptor and blood pressure in hyperglycaemic and normoglycaemic Chinese subjects: , 605
- Thorer, M.O. see Toogood, A.A.
- Tomlinson, B. see Thomas, G.N.
- van Tol, K.M. see Smit, J.W.A.
- Toogood, A.A. & Thorer, M.O. Ghrelin, not just another growth hormone secretagogue: , 589
- Toogood, A.A. see Renehan, A.G.
- Torpy, D.J. see Nye, E.J.
- Torres-Vela, E. see Muñoz-Torres, M.
- Trevi, G. see Broglio, F.
- Tucci, J.R. Chronic hypocalcaemia due to selective skeletal resistance to parathyroid hormone: , 815
- Tutus, A. see Kirnap, M.
- Twickler, T.H.B., Dallinga-Thie, G.M., Zelissen, P.M.J., Koppeschaar, H.P.F. & Erkelens, D.W. The atherogenic plasma remnant-like particle cholesterol concentration is increased in the fasting and postprandial state in active acromegalic patients: , 69
- Umpleby, A.M. see Christ, E.R.
- Valls, C. see Ibáñez, L.
- Van Pottelbergh, I., Lumbroso, S., Goemaere, S., Sultan, C. & Kaufman, J.M. Lack of influence of the androgen receptor gene CAG-repeat polymorphism on sex steroid status and bone metabolism in elderly men: , 659
- Van Sande, J. see Corvilain, B.
- Van Zelderen-Bhola, S. see Smit, J.W.A.
- Vassart, G. see Corvilain, B.
- Vessey, M. see Michelmore, K.
- Vidal-Puig, A. & O'Rahilly, S. Resistin: a new link between obesity and insulin resistance?: , 437
- Vielvoye, G.J. see Smit, J.W.A.
- Vigneri, R. see Belfiore, A.
- Vink, R. see Smit, J.W.A.
- Wachter, I. see Krone, N.
- Waelkens, J.J.J. see Mul, D.
- Walker, M. see Butler, T.J.
- Walters, M.M. see Nye, E.J.
- Warburton, R. see Howell, S.J.
- Wass, J.A.H. see Elsheikh, M.
- Wass, J.A.H. see Hunt, P.J.
- Wass, J.A.H. see Husbands, S.
- Wataki, K. see Kikuoka, N.
- Weaver, J.U. Are we in danger from an epidemic of Cushing's syndrome? Nature knows its course: , 719
- Weetman, A.P. see Hunt, P.J.
- Weetman, A.P. see Talbot, J.A.
- Welsh, K.I. see Hunt, P.J.
- Werner, S. see Ruiz, M.
- Wessels, H. see Smit, J.W.A.
- Westman, K. see Link, K.
- White, P.C., Agarwal, A.K., Li, A., Nikkila, H., Pratt, J.H., Caulfield, M., Clark, A., McTernan, C. & Stewart, P.M. Possible association but no linkage of the HSD11B2 gene encoding the kidney isozyme of 11 $\beta$ -hydroxysteroid dehydrogenase to hypertension in Black people: , 249
- Wierzbicki, A.S. see Christ, E.R.
- Wikström, A.-C. see Ruiz, M.
- Wirén, L. see Fors, H.
- Wüster, C. see Clanget, C.
- Yamaguchi, T. see Yamauchi, M.
- Yamakita, N., Murai, T., Kokubo, Y., Hayashi, M., Akai, A. & Yasuda, K. Dehydroepiandrosterone sulphate is increased and dehydroepiandrosterone-response to corticotrophin-releasing hormone is decreased in the hyperthyroid state compared with the euthyroid state: , 797
- Yamashita, H. see Kahara, T.
- Yamauchi, M., Sugimoto, T., Yamaguchi, T., Nakaoka, D., Kanzawa, M., Yano, S., Ozuru, R., Sugishita, T. &

- Chihara, K. Plasma leptin concentrations are associated with bone mineral density and the presence of vertebral fractures in postmenopausal women: , 341
- Yamauchi, M., Sugimoto, T., Yamaguchi, T., Yano, S., Kanzawa, M., Kobayashi, A. & Chihara, K. Association of polymorphic alleles of the calcium-sensing receptor gene with the clinical severity of primary hyperparathyroidism: , 373
- Yanagawa, T. see Kikuoka, N.
- Yano, S. see Yamauchi, M.
- Yasuda, K. see Yamakita, N.
- Yeo, C.P., Chin Khoo, D.H., Ko Eng, P.H., Tan, H.K., Yo, S.L. & Jacob, E. Prevalence of gestational thyrotoxicosis in Asian women evaluated in the 8th and 14th weeks of pregnancy: correlations with total and free beta human chorionic gonadotrophin: , 391
- Yo, S.L. see Yeo, C.P.
- Yokoyama, H. see Ise, T.
- Zahedi, A., Booth, G.L., Smyth, H.S., Farrell, W.E., Clayton, R.N., Asa, S.L. & Ezzat, S. District clonal composition of primary and metastatic adrenocorticotrophic hormone-producing pituitary carcinoma: , 549
- de Zegher, F. see Ibáñez, L.
- Zelissen, P.M.J. see Twickler, TH.B.
- Ziegler, R. see Clanet, C.
- Ziegler, R. see Seck, T.
- Zitzmann, M., Brune, M., Kornmann, B., Gromoll, J., Junker, R. & Nieschlag, E. The CAG repeat polymorphism in the androgen receptor gene affects bone density and bone metabolism in healthy males: , 649
- Zoungas, S. see Teede, H.J.
- de Zoysa, P.A. see Quinton, R.

## Subject Index to Volume 55

### Acid-labile subunit (ALS)

efficacy of radiotherapy in acromegaly 183

### Acromegaly

BMD and body composition in 175  
cardiovascular function after surgery 307  
colorectal neoplasia in (Commentaries) 723, 727, 731  
ectopic, GHRH and GHRH-R in (Case report) 135  
efficacy of radiotherapy 183  
fasting and postprandial RLP-C 69  
IGF-II and IGFBP-2 in 469  
late potentials in signal-averaged ECG 201  
(Commentary), 305  
octreotide therapy during pregnancy (Case report) 411  
risk of dysrhythmias (Commentary) 305  
Sandostatin® LAR® and sleep apnoea 477

### ACTH

ageing and adrenal response to ACTH<sub>1-24</sub> 259  
desmopressin test and pituitary surgery 61  
ectopic precursor production (Letter) 558  
management of Nelson's syndrome (Letter) 819  
-producing pituitary carcinoma, clonal composition  
(Case report) 549  
testing HPA axis (Letter) 821  
tests in central hypoadrenalism 625  
tests, DHEA response to CRH in hyperthyroidism 797  
tests in primary fibromyalgia syndrome 455

Adrenalectomy, laparoscopic (Commentary) 435

### Adrenal incidentaloma

extramedullary plasmacytoma in (Case report) 267

### Ageing

adrenal response to ACTH<sub>1-24</sub> 259  
androgen receptor polymorphism and bone metabolism  
659  
discontinuation of GH in men 77  
risk factors for diabetes and atherosclerosis in PCOS 767

### Alcohol

intake and risk of goitre 41  
leptin secretion and 639

### Aldosterone

ageing and adrenal response to ACTH<sub>1-24</sub> 259

Alfacalcidol see 1 $\alpha$ -Hydroxyvitamin D<sub>3</sub>

ALL see Leukaemia, acute lymphoblastic

### Anaemia

effects of GH on erythropoietin and haemoglobin in  
GHD 749

### Apoptosis

in autoimmune thyroid disease (Review) 1

### Aquaporin-2

urinary, and impaired water excretion 217

### Arginine

effects on digoxin and somatotroph secretion 755

### Arginine vasopressin

impaired water excretion and 217

### Arterial function

HRT effects in postmenopausal women 673

### Arterial stimulation

localization of insulin-secreting tumours 357

### Atherosclerosis

risk factors in ageing women with PCOS 767

### Autoantibodies

CTLA4 gene polymorphism in type 1 diabetes 597

### Autoimmune thyroid disease

apoptosis and (Review) 1  
HLA and 491 (Letter) 557

### Autoimmune thyroid syndrome

in Turner syndrome 223

### Black people

11 $\beta$ -hydroxysteroid dehydrogenase and hypertension  
249

### Blood pressure

dopamine D2 receptor gene and 605  
see also Hypertension

### Body composition

in acromegaly 175  
discontinuation of GH in elderly men 77

### Body weight

gain, and treatment of hyperthyroidism 233  
low birthweight and PCOS 667  
in PCOS 191  
see also Obesity  
women with polycystic ovaries 439

### Bone

BMD, in acromegaly 175  
BMD, and androgen receptor polymorphism 649, 659  
BMD, and discontinuation of GH therapy 617  
BMD, and GH therapy 93  
BMD, 1 $\alpha$ -hydroxyvitamin D<sub>3</sub> and HRT 253  
BMD, IGF-I and skeletal integrity 759  
BMD, leptin and vertebral fractures 341  
loss, serum IGF-I in postmenopausal women 101  
mass, after discontinuation of GH therapy 617  
metabolism, and androgen receptor polymorphism 649, 659  
selective skeletal resistance to PTH (Case report) 815

- Brain tumours
  - after irradiation of pituitary tumours 613
- CAH
  - pregnancy, birth and childhood 523
- Calcium-sensing receptor
  - gene polymorphisms in hyperparathyroidism 373
- Calcium supplementation
  - BMD, 1-hydroxyvitamin D<sub>3</sub> and HRT 253
- Carcinoid tumours
  - metastatic, treatment with <sup>131</sup>I-MIBG 47
- Cardiovascular function
  - after surgery for acromegaly 307
  - HRT effects on arterial function 673
- Cardiovascular risk
  - homocysteine and GH deficient adults 635
  - in hyperparathyroidism (Letter) 279
- Cephalometry
  - computerized tomographic 477
- Chemotherapy
  - malignant neuroendocrine tumours (Review) 575
- Childbirth
  - CRH and (Commentary) 593
  - perinatal thyroid function 485
  - women with CAH 523
- Children
  - assay for age-related changes in serum oestradiol 789
  - bone mass and BMD after discontinuation of GH therapy 617
  - CTLA4 gene polymorphism in type 1 diabetes 597
  - GnRHa, GH and early puberty 121
  - insulin sensitivity and GHD 87
  - muscle fibre membrane instability with insulinoma (Letter) 559
  - perinatal thyroid function 485
  - renal and cardiac growth and GHD 741
  - thyroid function in survivors of ALL 21
  - of women with CAH 523
- Cholesterol
  - GH therapy in hypopituitarism (Letter) 695
- Chronic fatigue syndrome
  - hydrocortisone therapy and leptin secretion 113
- Colonoscopy
  - rectal neoplasia in acromegaly (Commentaries) 723, 727, 731
- Colorectal neoplasia
  - in acromegaly (Commentaries) 723, 727, 731
- Computer assisted learning
  - in endocrinology 537
- Contraception
  - male, steroidal 331
- Coronary risk
  - in GH deficient adults 209
- Cortisol
  - ageing and adrenal response to ACTH<sub>1-24</sub> 259
  - desmopressin test and pituitary surgery 61
  - reproducibility of ITT test (Letter) 819
  - resistance, and receptor gene mutations 363
- Cranial irradiation
  - thyroid function 21
- CRH
  - DHEA response in hyperthyroidism 797
  - parturition and (Commentary) 593
- CT cephalometry 477
- Cushing's disease/syndrome
  - desmopressin test before and after surgery 61
  - ectopic ACTH precursor production (Letter) 558
  - natural course, and obesity (Commentary) 719
- Dendritic cell immunotherapy
  - in neuroendocrine pancreas carcinoma (Case report) 271
- Depression
  - postpartum, and thyroid dysfunction 809
- Desmopressin test
  - before and after surgery for Cushing's disease 61
- DHEA
  - ageing and adrenal response to ACTH<sub>1-24</sub> 259
  - replacement therapy in HIV infection 325
  - response to CHRH in hyperthyroidism 797
- Diabetes
  - risk factors in ageing women with PCOS 767
  - type 1, CTLA4 gene polymorphism 597
  - type 1, effects of lispro 107
  - type 1, prevention and new therapies (Review) 565
  - type 1, and VLDL metabolism 777
  - type 2, non-esterified fatty acids and insulin secretion 349
- Digoxin
  - effects on somatotroph secretion 755
- Dyslipidaemia
  - in ageing women with PCOS 767
- Elderly subjects see Ageing
- Electrocardiography
  - signal-averaged, late potentials in acromegaly 201
- Erythropoietin
  - effects of rhGH in GHD 749
- Fasting
  - effects on GH release 461
- Fatigue see Chronic fatigue syndrome
- Fatty acids
  - non-esterified, in type 2 diabetes 349

- Fibromyalgia syndrome, primary  
ITT and ACTH tests 455
- FSH  
sensitive assays 331
- Genetics  
11 $\beta$ -hydroxysteroid dehydrogenase and hypertension 249  
androgen receptor polymorphism and bone metabolism 649, 659  
autoimmune thyroid disease in Turner syndrome 223  
CaR gene polymorphisms in hyperparathyroidism 373  
clonal composition of pituitary carcinoma (Case report) 549  
CTLA4 polymorphism in type 1 diabetes 597  
*CYP11B1/CYP11B2* gene in FH type II (Case report) 131  
dopamine D2 receptor gene and blood pressure 605  
gene therapy and diabetes type 1 (Review) 565  
GHRH and GHRH-R in lung endocrine tumour (Case report) 135  
glucocorticoid receptor gene mutations 363  
Graves' disease, HLA class II associations 805  
HLA and autoimmune thyroid disease 491 (Letter) 557  
idiopathic hypogonadotrophic hypogonadism 163 (Commentary) 160  
insulin gene VNTR in PCOS 439  
mutations of TSH receptor and thyroid disease (Review) 143  
novel chromosomal translocation in thyroid carcinoma (Case report) 543  
pituitary gene therapy (Review) 427  
ras mutations in thyroid nodules 241  
S836S polymorphism and medullary thyroid carcinoma 399
- GH  
bone mass and BMD after discontinuation 617  
discontinuation in elderly men 77  
dose, and renal and cardiac growth 741  
early puberty in adopted children 121  
effects on erythropoietin and haemoglobin in GHD 749  
effects of receptor blockade and fasting 461  
effect of therapy on BMD 93  
Sandostatin<sup>®</sup> LAR<sup>®</sup> and sleep apnoea in acromegaly 477  
therapy, cholesterol levels in hypopituitarism (Letter) 695
- GHD  
coronary risk in adults 209  
effect of GH therapy on BMD 93  
effects of GH on erythropoietin and haemoglobin 749  
GH dose, and renal and cardiac growth 741  
homocysteine and cardiovascular risk 635  
insulin sensitivity in children 87
- Ghrelin  
significance (Commentary) 589
- GHRH  
effects of digoxin and arginine 755  
effects of fasting and pegvisomant 461  
in lung endocrine tumour (Case report) 135
- GHRP-6  
effects of fasting and pegvisomant 461
- Glucocorticoids  
HPA axis alterations in obesity 447  
receptor gene mutations 363  
seasonal variation in receptor binding 683
- GnRH  
agonist treatment and early puberty 121
- Goitre  
multinodular, TSH-receptor antibody assays 381  
prevalence, and alcohol intake 41  
toxic nodular, and stressful life events 15
- Gonadotrophins  
genetics of idiopathic deficiency 163 (Commentary) 160  
gestational thyrotoxicosis and  $\beta$ -hCG in Asian women 391  
hCG glycoforms in gestational thyrotoxicosis 33  
sensitive assays 331
- Graves' disease  
HLA class II associations in Jamaicans 805  
impact of stressful life events 15 (Commentary), 13  
thyroid nodules and thyroid cancer (Review) 711  
TSH-receptor antibody assays 381
- Haemoglobin  
effects of rhGH in GHD 749
- Heart  
acromegaly and risk of dysrhythmias (Commentary) 305  
cardiac growth and childhood onset GHD 741  
coronary risk in GH deficient adults 209  
effects of digoxin and somatotroph secretion 755  
rate, discontinuation of GH in elderly men 77
- Hemithyroidectomy  
long-term follow-up 509
- Hepatic function  
HRT in Turner syndrome 227
- Hepatic venous sampling  
localization of insulin-secreting tumours 357
- HIV infection  
DHEA replacement therapy 325
- HLA  
in autoimmune thyroid disease 491 (Letter), 557  
class II associations in Graves' disease 805

- CTLA4 gene polymorphism in type 1 diabetes 597
- Homocysteine
  - in GH deficient adults 635
- HRT
  - choice, young women with ovarian failure (Letter) 697
  - effects on arterial function 673
  - hepatic function in Turner syndrome 227
  - testosterone implant pharmacology 531
  - testosterone, in mild Leydig cell insufficiency 315
- Hydrocortisone
  - leptin secretion in chronic fatigue syndrome 113
- 11 $\beta$ -Hydroxysteroid dehydrogenase
  - hypertension in Black people 249
- 1 $\alpha$ -Hydroxyvitamin D<sub>3</sub>
  - effect on BMD 253
- Hyperaldosteronism
  - familial type II, *CYP11B1/CYP11B2* gene (Case report) 131
- Hyperglycaemia
  - dopamine D2 receptor gene and blood pressure 605
- Hyperinsulinaemia
  - in ageing women with PCOS 767
- Hyperparathyroidism
  - cardiovascular risk in (Letter) 279
  - CaR gene polymorphisms 373
  - PTH variant and (Case report) 417
- Hyperprolactinaemia
  - differential diagnosis (Letter) 423
- Hypertension
  - 11 $\beta$ -hydroxysteroid dehydrogenase in Black people 249
  - in ageing women with PCOS 767
- Hyperthyroidism
  - DHEA response to CRH in 797
  - lengthened ventricular repolarization 27
  - TSH-receptor antibody assays 381
  - weight gain following treatment 233
- Hypoadrenalism
  - central, and ACTH tests 625
- Hypocalcaemia
  - chronic, and selective skeletal resistance to PTH (Case report) 815
- Hypoglycaemia
  - muscle fibre membrane instability and insulinoma (Letter) 559
- Hypogonadism
  - idiopathic hypogonadotrophic (IHH), genetics 163, (Commentary) 160
- Hypopituitarism
  - coronary risk in GH deficient adults 209
  - GH therapy and cholesterol levels (Letter) 695
  - prevalence and incidence in northwestern Spain 735
- Hypothalamic-pituitary disease
  - ACTH tests 625
- Hypothalamo-pituitary-adrenal (HPA) axis
  - alterations in obesity 447
  - Cushing's syndrome and obesity (Commentary) 719
  - evaluation in primary fibromyalgia syndrome 455
  - testing (Letter) 821
- IGF
  - IGF-I, and bone loss in postmenopausal women 101
  - IGF-I, and efficacy of radiotherapy in acromegaly 183
  - IGF-I, and lispro in type 1 diabetes 107
  - IGF-I, and skeletal integrity in postmenopausal women 759
  - IGF-II, in acromegaly 469
- IGFBP
  - IGFBP-1, and lispro in type 1 diabetes 107
  - IGFBP-2 in acromegaly 469
  - IGFBP-3, and efficacy of radiotherapy in acromegaly 183
- 131-I-mIBG (<sup>131</sup>I-meta-iodobenzylguanidine)
  - treatment of neuroendocrine tumours 47
- Immune system
  - role in menstruation (Review) 701
- Immunotherapy
  - dendritic cell, in neuroendocrine pancreas carcinoma (Case report) 271
  - diabetes type 1 (Review) 565
- Incidentaloma, adrenal (Case report) 267
- Insulin
  - gene VNTR in PCOS 439
  - lispro in type 1 diabetes 107
  - non-esterified fatty acids and type 2 diabetes 349
  - resistance, in PCOS 439
  - resistance, resistin and obesity (Commentary) 437
  - secreting tumours, localization 357
  - sensitivity in GH deficient children 87
  - sensitivity in PCOS 191
  - tolerance tests (ITT), in primary fibromyalgia syndrome 455
  - tolerance tests (ITT), reproducibility (Letter) 819
- Insulinoma
  - muscle fibre membrane instability and (Letter) 559
- Iodine
  - <sup>123</sup>I-diagnostic imaging of thyroid carcinomas 515
  - deficiency, and perinatal thyroid function 485
- Kidney
  - renal growth and childhood onset GHD 741



- Laparoscopic adrenalectomy (Commentary) 435
- Leptin  
 alcohol ingestion and 639  
 BMD and vertebral fractures 341  
 hydrocortisone therapy in chronic fatigue syndrome 113
- Leucocytes  
 seasonal variation in glucocorticoid receptor binding 683
- Leukaemia, acute lymphoblastic  
 thyroid function in childhood survivors 21
- Leydig cell  
 insufficiency, and testosterone replacement 315
- LH  
 sensitive assays 331
- Lipid profile  
 coronary risk in GH deficient adults 209  
 VLDL metabolism in type 1 diabetes mellitus 777
- Lispro  
 in type 1 diabetes 107
- Lithium  
 silent thyroiditis and thyrotoxicosis 501
- Lung tumour  
 GHRH and GHRH-R in ectopic acromegaly (Case report) 135
- Lymph node resection  
 medullary thyroid carcinoma recurrences 403
- Magnetization transfer MRI technique (Letter) 423
- Marimastat therapy  
 skeletal metastases of thyroid carcinoma (Short communication) 421
- Men  
 androgen receptor polymorphism and bone metabolism 649, 659  
 elderly, discontinuation of GH 77  
 Leydig cell insufficiency and testosterone replacement 315  
 sensitive gonadotrophin assays 331  
 steroidal contraception 331  
 testosterone implant pharmacology 531
- Menstrual cycle  
 in ageing women with PCOS 767  
 role of immune system (Review) 701
- Metanephrines assays  
 interference of urapidil (Letter) 280
- MRI  
 differential diagnosis of hyperprolactinaemia (Letter) 423
- Multiple endocrine neoplasia (MEN)  
 type 1, thymic carcinoid in (Case report) 689
- Muscle fibre  
 membrane instability, and insulinoma (Letter) 559
- Nelson's syndrome  
 management (Letter) 819
- Neuroendocrine tumours  
 chemotherapy (Review) 575  
 see also Specific tumours
- Obesity  
 Cushing's syndrome and (Commentary) 719  
 HPA axis alterations 447  
 in PCOS 191  
 resistin and insulin resistance (Commentary) 437  
 risk factors for diabetes and atherosclerosis in PCOS 767
- Octreotide  
 for acromegaly during pregnancy (Case report) 411
- Oestrogen  
 assay for age-related changes in serum oestradiol 789  
 HRT effects on arterial function 673  
 HRT and hepatic function in Turner syndrome 227  
 HRT, and premature ovarian failure (Letter) 697  
 role of immune system in menstruation (Review) 701
- Orbitopathy, thyroid-associated  
 clinical evaluation (Review) 283
- Ovarian function  
 premature failure and HRT (Letter) 697  
 see also Polycystic ovary syndrome
- Oxygen uptake, resting  
 discontinuation of GH in elderly men 77
- Pancreatic carcinoma  
 ectopic ACTH precursor production (Letter) 558  
 neuroendocrine, and immunotherapy (Case report) 271
- Paraganglioma  
 treatment with <sup>131</sup>I-mIBG 47
- Parturition see Childbirth
- Pegvisomant  
 effects on GH release 461
- Phaeochromocytoma  
 treatment with <sup>131</sup>I-mIBG 47
- Photography  
 evaluation of thyroid-associated orbitopathy (Review) 283
- Pituitary adenomas  
 brain tumours after irradiation 613  
 differential diagnosis (Letter) 423
- Pituitary carcinoma  
 clonal composition (Case report) 549
- Pituitary disease  
 desmopressin stimulation test 61  
 gene therapy (Review) 427

- Plasmacytoma
  - extramedullary, in adrenal incidentaloma (Case report) 267
- Polycystic ovary syndrome (PCOS)
  - insulin and insulin gene VNTR 439
  - insulin sensitivity and obesity in 191
  - low birthweight and precocious pubarche 667
  - risk factors for diabetes and atherosclerosis 767
- Pregnancy
  - CRH and (Commentary) 593
  - gestational thyrotoxicosis and  $\beta$ -hCG in Asian women 391
  - hCG glycoforms in gestational thyrotoxicosis 33
  - octreotide therapy for acromegaly (Case report) 411
  - perinatal thyroid function 485
  - postpartum thyroid dysfunction and depression 809
  - women with CAH 523
- Progesterone
  - role of immune system in menstruation (Review) 701
- Pseudohypoparathyroidism
  - selective skeletal resistance to PTH (Case report) 815
- PTH
  - selective skeletal resistance and chronic hypocalcaemia (Case report) 815
  - variant, and hyperparathyroidism (Case report) 417
- Pubarche, precocious
  - low-birthweight effect and PCOS 667
- Puberty
  - early, GnRHa and GH in adopted children 121
- QTc
  - prolonged, in hyperthyroidism 27
- Radionuclide imaging
  - $^{123}\text{I}$  and thyroid carcinomas 515
- Radiotherapy
  - efficacy in acromegaly 183
  - of pituitary tumours, and brain tumours 613
- Remnant-like particle cholesterol (RLP-C)
  - in acromegaly 69
- Resistin
  - obesity and insulin resistance (Commentary) 437
- Sandostatin® LAR®
  - effects on sleep apnoea in acromegaly 477
- Seasonal variation
  - glucocorticoid receptor binding 683
- Skeletal metastases
  - Marimastat therapy and (Short communication) 421
- Skin metastases
  - chromosomal translocation in thyroid carcinoma (Case report) 543
- Sleep apnoea
  - effects of Sandostatin® LAR® in acromegaly 477
- Stressful life events
  - Graves' disease 15, (Commentary) 13
  - toxic nodular goitre 15
- Teaching
  - computer assisted learning 537
- Testosterone
  - androgen receptor polymorphism and bone metabolism 649, 659
  - implant pharmacology 531
  - replacement, in mild Leydig cell insufficiency 315
- Thymectomy, transcervical
  - thymic carcinoid in MEN 1 (Case report) 689
- Thymic carcinoid
  - in MEN 1 (Case report) 689
- Thyroid adenomas
  - follicular, long-term follow-up 509
- Thyroid-associated orbitopathy
  - clinical evaluation (Review) 283
- Thyroid carcinoma
  - $^{123}\text{I}$ -diagnostic imaging 515
  - Graves' disease, thyroid nodules and (Review) 711
  - Marimastat therapy and skeletal metastases (Short communication) 421
  - medullary, recurrences 403
  - medullary, and S836S polymorphism 399
  - papillary, novel chromosomal translocation (Case report) 543
  - treatment with  $^{131}\text{I}$ -mIBG 47
- Thyroid disease
  - alcohol intake and prevalence of nodules 41
  - autoimmune, and apoptosis (Review) 1
  - autoimmune, HLA and 491 (Letter), 557
  - autoimmune, in Turner syndrome 223
  - ras mutations in solitary nodules 241
  - tumour bank, post Chernobyl (Letter) 423
- Thyroid function
  - Graves' disease, thyroid nodules and thyroid cancer (Review) 711
  - mutations of TSH receptor (Review) 143
  - perinatal 485
  - postpartum dysfunction and depression 809
  - in survivors of childhood ALL 21
- Thyroiditis, silent
  - lithium and thyrotoxicosis 501
- Thyrotoxicosis
  - gestational, and -hCG in Asian women 391
  - gestational, hCG glycoforms in 33
  - silent thyroiditis and lithium 501

- TRAIL
  - apoptosis and autoimmune thyroid disease (Review) 1
- TSH
  - receptor antibody assays in hyperthyroidism 381
  - receptor mutations and thyroid disease (Review) 143
- Tumour bank
  - for post Chernobyl thyroid cancer (Letter) 423
- Tumour necrosis factor (TNF)-related apoptosis-inducing ligand (TRAIL) 1
- Turner syndrome
  - autoimmune thyroid disease in 223
  - HRT and hepatic function 227
- Urapidil
  - interference with metanephrines assays (Letter) 280
- Urinary excretion
  - aquaporin-2 and impaired water excretion 217
- Vascular reactivity
  - cardiovascular risk in hyperparathyroidism (Letter) 279
- Ventricular repolarization
  - in hyperthyroidism 27
- Vertebral fractures
  - IGF-I and skeletal integrity 759
  - leptin, BMD and 341
- VLDL
  - metabolism in type 1 diabetes mellitus 777
- Water excretion
  - impaired, and aquaporin-2 217
- Weight see Body weight, Obesity
- Women
  - 1 $\alpha$ -hydroxyvitamin D<sub>3</sub>, HRT and BMD 253
  - autoimmune thyroid disease in Turner syndrome 223
  - CAH, pregnancy, birth and childhood 523
  - gestational thyrotoxicosis and  $\beta$ -hCG in Asians 391
  - HPA axis alterations in obesity 447
  - HRT effects on arterial function 673
  - HRT and hepatic function in Turner syndrome 227
  - leptin, BMD and vertebral fractures 341
  - octreotide therapy during pregnancy (Case report) 411
  - ovarian failure and HRT (Letter) 697
  - PCOS, insulin and insulin gene VNTR 439
  - postmenopausal, IGF-I and skeletal integrity 759
  - postmenopausal, serum IGF-I and bone loss 101
  - risk factors for diabetes and atherosclerosis in PCOS 767
  - role of immune system in menstruation (Review) 701